

SAFETY DATA SHEET

TMC-7200 Engineered Fluid

SECTION 1: IDENTIFICATION

1.1. Product identifier:

Trade name: TMC-7200 Engineered Fluid
Product no.: 7200, 7200-B, 7200-12, 7200-44, 7200-550

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses of the substance or mixture: Industrial purposes, Heat Transfer, Cleaning Agent
 Restricted to professional users.
Uses advised against : Not Intended for Use as Medical Device or Drug.

1.3. Details of the supplier of the safety data sheet:

Company and address: TMC Industries, Inc.
 1423 Mill Lane
 Waconia, Minnesota 55387
 USA
 TF: +1 (800) 772-8179
 www.tmcindustries.com

Contact person: Nick Hansen
E-mail: sales@tmcindustries.com
SDS date: 10/1/2025
SDS Version: 4.0
Date of previous version: 1/9/2025 (3.0)

1.4. ▼ Emergency telephone number:

VeolocityEHS 1-800-255-3924 within the US, Canada, Puerto Rico and the U.S. Virgin Islands. If outside those areas, call 1-813-248-0585 (Contract#: MIS8157133).

SECTION 2: HAZARD(S) IDENTIFICATION

2.1. Classification of the substance or mixture:

Not classified according to HCS (29 CFR 1910.1200)

2.2. Label elements:

Hazard pictogram(s): Not applicable.
Signal word: Not applicable.
Hazard statement(s):
Precautionary statement(s):

- ▼ **General:** Not applicable.
- ▼ **Prevention:** Avoid release to the environment. (P273)
- ▼ **Response:** Not applicable.
- ▼ **Storage:** Not applicable.
- ▼ **Disposal:** Refer to the manufacturer/supplier for information on disposal/ recovery/ recycling. (P503)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances:

Not applicable. This product is a mixture.

3.2. Mixtures:

Product/substance	Identifiers	% w/w	Classification	Note
Ethyl nonafluoroisobutyl ether	CAS No.: 163702-06-5	55-90%		
Ethyl nonafluorobutyl ether	CAS No.: 163702-05-4	10-45%		

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information:

-

SECTION 4: FIRST-AID MEASURES

4.1. ▼ Description of first aid measures:

General information:

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

▼ Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

▼ Skin contact:

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

▼ Eye contact:

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

▼ Ingestion:

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed:

None known.

4.3. Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

Information to medics:

Bring this safety data sheet or the label from this product.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media:

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture:

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds

Carbon oxides (CO / CO₂)

5.3. Advice for firefighters:

No specific requirements.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

Contaminated areas may be slippery.

6.2. Environmental precautions:

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections:

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling:

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities:

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Keep only in original packaging.

Storage conditions: Keep container tightly closed

Incompatible materials: Strong acids
Strong oxidizing agents
Bases

7.3. Specific end use(s):

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:

No substances are listed with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1)

8.2. ▼ Exposure controls:

Apply general control to prevent unnecessary exposure

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures: Apply standard precautions during use of the product. Avoid inhalation of vapours.

▼ Hygiene measures: In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure: No specific requirements.

Individual protection measures, such as personal protective equipment:

Generally: Use only protective equipment with a recognized certification mark, e.g. the UL mark.

Respiratory Equipment:

Work situation	Type	Class	Colour	Standards	
When the product is subjected to extreme heat, HF may be formed.	Positive pressure supplied air respirator.				

Skin protection:

Work situation	Recommended	Type/Category	Standards	
if the situation requires.	Use proper protective clothing	Use proper protective clothing		

Hand protection:

Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
When the product is subjected to extreme heat, HF may be formed.	Neoprene				

Eye protection:

Type	Standards	
No specific requirements	-	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties:

Physical state: Liquid
Color: Colourless
Odor: Faint
Odor threshold (ppm): No data available
pH: Not applicable
Density (g/cm³): 1.43 (77 °F)
Kinematic viscosity: 0.6 cPs
Particle characteristics: Not applicable

Phase changes:

Melting point/freezing point (°F):	-216.4
Melting point/freezing point (°C):	-138
Softening point/range (°F):	Does not apply to liquids.
Boiling point (°F):	168.8
Boiling point (°C):	76
Vapor pressure:	16 kPa (77 °F)
Relative vapor density:	9.1 Reference: Air = 1
Decomposition temperature (°F):	No data available

Data on fire and explosion hazards:

Flash point (°F):	No flash point
Flammability (°F):	Not applicable
Auto-ignition temperature (°F):	707
Auto-ignition temperature (°C):	375
	Test method: ASTM E659-18
Explosion limits (% v/v):	No data available

Solubility:

Solubility in water:	Nil
n-octanol/water coefficient (LogKow):	No data available
Solubility in fat (g/L):	No data available

9.2. Other information:

Critical temperature (pure gas) (°C):	210
Decomposition temperature (Self-reactive substances and mixtures) (°C):	No Data Available
Evaporation rate (n-butylacetate = 100):	No data available
Other physical and chemical parameters:	No data available.
Surface tension (mN/m):	13.6
Molecular Weight (g/mol):	264
Oxidizing properties:	No data available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:

No data available.

10.2. Chemical stability:

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions, including those associated with foreseeable emergencies:

None known.

10.4. Conditions to avoid:

None known.

10.5. Incompatible materials:

Strong acids, strong bases, and strong oxidizing agents.

10.6. ▼ Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects:

▼ Acute toxicity:

Product/substance	Ethyl nonafluoroisobutyl ether
Route of exposure:	Dermal
Test:	LD50
Result:	2000-5000 mg/kg

Product/substance	Ethyl nonafluoroisobutyl ether
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>989 mg/L

Product/substance	Ethyl nonafluorobutyl ether
Route of exposure:	Dermal
Test:	LD50
Result:	2000-5000 mg/kg

Product/substance	Ethyl nonafluorobutyl ether
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>989 mg/L

Product/substance	Ethyl nonafluorobutyl ether
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg

Based on available data for the mixture, the classification criteria are not met.

▼ Skin corrosion/irritation:

Product/substance	Ethyl nonafluoroisobutyl ether
Species:	Rabbit
Result:	No adverse effect observed (Not irritating)

Product/substance	Ethyl nonafluorobutyl ether
Species:	Rabbit
Result:	No adverse effect observed (Not irritating)

Based on available data for the mixture, the classification criteria are not met.

▼ Serious eye damage/irritation:

Product/substance	Ethyl nonafluoroisobutyl ether
-------------------	--------------------------------

Species: Rabbit
Result: No adverse effect observed (Not irritating)

Product/substance Ethyl nonafluorobutyl ether
Species: Rabbit
Result: No adverse effect observed (Not irritating)

Based on available data for the mixture, the classification criteria are not met.

▼ Respiratory sensitisation:

Product/substance Ethyl nonafluoroisobutyl ether
Result: For the components(s), either no data are available or the data are not sufficient for the classification.

Product/substance Ethyl nonafluorobutyl ether
Result: For the components(s), either no data are available or the data are not sufficient for the classification.

Based on available data for the mixture, the classification criteria are not met.

▼ Skin sensitisation:

Product/substance Ethyl nonafluoroisobutyl ether
Species: Guinea pig
Result: For the components(s), either no data are available or the data are not sufficient for the classification.

Product/substance Ethyl nonafluorobutyl ether
Species: Guinea pig
Result: For the components(s), either no data are available or the data are not sufficient for the classification.

Based on available data for the mixture, the classification criteria are not met.

▼ Germ cell mutagenicity:

Product/substance Ethyl nonafluoroisobutyl ether
Conclusion: No adverse effect observed

Product/substance Ethyl nonafluorobutyl ether
Conclusion: No adverse effect observed

Based on available data for the mixture, the classification criteria are not met.

▼ Carcinogenicity:

Product/substance Ethyl nonafluoroisobutyl ether
Conclusion: Not Classified

Product/substance Ethyl nonafluorobutyl ether
Conclusion: Not Classified

Based on available data for the mixture, the classification criteria are not met.

▼ Reproductive toxicity:

Product/substance Ethyl nonafluoroisobutyl ether
Species: Rat
Duration: During gestation
Test: NOAEL
Result: 260 mg/L
Conclusion: Not Classified

Product/substance Ethyl nonafluorobutyl ether
Species: Rat
Duration: During gestation

Test: NOAEL
Result: 260 mg/L
Conclusion: Not Classified

Based on available data for the mixture, the classification criteria are not met.

▼ STOT-single exposure:

Product/substance: Ethyl nonafluoroisobutyl ether
Species: Dog
Route of exposure: Inhalation
Target organ: Cardiac sensitization
Duration: 17 minutes
Test: NOAEL
Result: 204 mg/L
Conclusion: Not Classified

Product/substance: Ethyl nonafluoroisobutyl ether
Species: Rat
Route of exposure: Inhalation
Target organ: Respiratory irritation
Duration: 4 hours
Test: NOAEL
Result: 989 mg/L

Product/substance: Ethyl nonafluorobutyl ether
Species: Dog
Route of exposure: Inhalation
Target organ: Respiratory irritation
Duration: 17 minutes
Test: NOAEL
Result: 204 mg/L
Conclusion: Not Classified

Product/substance: Ethyl nonafluorobutyl ether
Species: Rat
Route of exposure: Inhalation
Target organ: Respiratory irritation
Duration: 4 hours
Test: NOAEL
Result: 989 mg/L
Conclusion: Not Classified

Based on available data for the mixture, the classification criteria are not met.

▼ STOT-repeated exposure:

Product/substance: Ethyl nonafluoroisobutyl ether
Species: Rat
Route of exposure: Inhalation
Target organ: Endocrine system, liver, heart, hematopoietic system, immune system, nervous system, kidney/bladder
Duration: 4 weeks
Test: NOAEL
Result: 263.4 mg/L
Conclusion: Not Classified

Product/substance: Ethyl nonafluoroisobutyl ether
Species: Rat
Route of exposure: Oral
Target organ: Endocrine system, bone, teeth, nails/hair, hematopoietic system, heart, immune system, nervous system

Duration: 28 days
 Test: NOAEL
 Result: 1000 mg/kg bw/day
 Conclusion: Not Classified

Product/substance Ethyl nonafluorobutyl ether
 Species: Rat
 Route of exposure: Inhalation
 Target organ: Endocrine system, liver, heart, hematopoietic system, immune system, nervous system, kidney/bladder
 Duration: 4 weeks
 Test: NOAEL
 Result: 263.4 mg/L
 Conclusion: Not Classified

Product/substance Ethyl nonafluorobutyl ether
 Species: Rat
 Route of exposure: Inhalation
 Target organ: Endocrine system, bone, teeth, nails/hair, hematopoietic system, heart, immune system, nervous system
 Duration: 28 days
 Test: NOAEL
 Result: 1000 mg/kg bw/day
 Conclusion: Not Classified

Based on available data for the mixture, the classification criteria are not met.

▼ Aspiration hazard:

Product/substance Ethyl nonafluoroisobutyl ether
 Conclusion: No data available or the data is not sufficient for classification.

Product/substance Ethyl nonafluorobutyl ether
 Conclusion: No data available or the data is not sufficient for classification.

Based on available data for the mixture, the classification criteria are not met.

Long term effects:

None known.

Other information:

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. ▼ Toxicity:

Based on available data for the mixture, the classification criteria are not met.

12.2. ▼ Persistence and degradability:

Based on available data for the mixture, the classification criteria are not met.

12.3. ▼ Bioaccumulative potential:

Based on available data for the mixture, the classification criteria are not met.

12.4. Mobility in soil:

No data available.

12.5. Results of PBT and vPvB assessment:

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects:

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods:

This material can be reclaimed by the manufacturer if required or disposed of at an approved facility according to local regulations.

RCRA Hazardous waste ("P" and "U" list) (40 CFR 261):

None of the components are listed

Specific labelling:

Contaminated packing:

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information:

Not dangerous goods according to DOT, IATA and IMDG.

14.6. Special precautions for user:

Not applicable.

14.7. Transport in bulk according to IMO instruments:

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.2. U.S. Federal regulations:

TSCA (the non-confidential portion):	Ethyl nonafluoroisobutyl ether is listed Ethyl nonafluorobutyl ether is listed
Clean Air Act:	None of the components are listed
EPCRA Section 302:	None of the components are listed
EPCRA Section 304:	None of the components are listed
EPCRA section 313:	None of the components are listed
CERCLA:	None of the components are listed
Hazardous chemical inventory reporting:	This product is not subject to Tier II reporting.

State regulations:

California / Prop. 65: None of the components are listed
Massachusetts / Right To Know Act: None of the components are listed
New Jersey / Right To Know Act: None of the components are listed
New York / Right To Know Act: None of the components are listed
Pennsylvania / Right To Know Act: None of the components are listed

NFPA:

Health hazard: 3
 Fire hazard: 1
 Instability hazard: 0
 Specific hazard: None

15.4. Restrictions for application:

Restricted to professional users.

15.5. Demands for specific education:

No specific requirements.

15.6. Additional information:

Not applicable.

15.7. Chemical safety assessment:

No

15.8. Sources:

OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 16: OTHER INFORMATION

The full text of identified uses as mentioned in section 1:

None known.

Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists
 ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
 ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 CAS = Chemical Abstracts Service
 CERCLA = Comprehensive Environmental Response Compensation and Liability Act
 DOT = Department of Transportation
 EINECS = European Inventory of Existing Commercial chemical Substances
 EPCRA = Emergency Planning and Community Right-To-Know Act
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 HCIS = Hazardous Chemical Information System
 HNOG = Hazards Not Otherwise Classified
 IARC = International Agency for Research on Cancer
 IATA = International Air Transport Association
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
 ("Marpol" = marine pollution)

NFPA = National Fire Protection Association
NIOSH = National Institute for Occupational Safety and Health
OECD = Organisation for Economic Co-operation and Development
OSHA = Occupational Safety and Health Administration
PBT = Persistent, Bioaccumulative and Toxic
RCRA = Resource Conservation and Recovery Act
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SARA = Superfund Amendments and Reauthorization Act
SCL = A specific concentration limit.
STEL = Short-term exposure limits
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TSCA = The Toxic Substances Control Act
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

▼ Additional information:

Not applicable.

The safety data sheet is validated by:

TMC Industries - QC Department

Other:

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en

本文件由 TMC 亞洲總代理「崇浩光電」提供

規格內容以 TMC 原廠文件為準。在台灣與亞洲地區,TMC-7200 的選型諮詢、樣品申請、報價與供貨,請聯絡崇浩光電——我們提供繁體中文技術支援與在地服務。

TMC-7200 產品頁(規格・詢價):

yottadeft.com/product/tmc-7200-電子氟化液/

全系列比較表+最新 TDS/SDS:

yottadeft.com/cooling-fluid-comparison

Email: info@yottadeft.com Tel: 02-7756-6488 Web: yottadeft.com



掃碼直達